




An Operator of Liquid, Natural Gas and Crude Oil Pipelines

in Your Community



TAKE OUR SURVEY
TO ENTER!
Details on back.



Emergency Number: 888-883-6308

For all other inquiries, call: 888-806-8152







AN IMPORTANT MESSAGE ABOUT PIPELINE SAFETY

You have received this safety brochure because you have been identified as someone who has or may respond to an emergency situation or are a local public official in a county/parish near a natural gas, liquid and/or crude oil pipeline(s) or gathering system(s) operated by Enterprise Products Operating LLC and/or Enterprise Crude Pipeline LLC (collectively referred to in this brochure as "Enterprise"). Our gathering systems may move natural gas or crude oil to processing plants or to an interconnection with larger mainline transmission pipelines.

Department of Transportation statistics confirm pipelines are the safest means of transporting energy. Approximately two-thirds of the natural gas, crude oil and refined petroleum products we use in our everyday lives are transported through underground pipelines – making them an essential component of our nation's infrastructure.

Please take a moment to familiarize yourself with the important pipeline safety information in this brochure. We encourage you to keep it and share with your co-workers and within your organization.

OUR SAFETY COMMITMENT

Enterprise is committed to the safe, reliable delivery of natural gas, crude oil, refined petroleum products and liquefied petroleum gas (LPG). Some of these products are considered Highly Volatile Liquids (HVLs).

Our pipelines are designed, installed, tested, operated and maintained according to strict standards employed by our company, the pipeline industry and the federal government.

IN CASE OF AN ENTERPRISE PIPELINE EMERGENCY CALL


Emergency Number: 888-883-6308

If you suspect a problem or witness suspicious activity on our right-of-way, immediately notify our 24-Hour Control Center and call your local police and fire department by dialing **911**.

ENTERPRISE PIPELINE VIEWER TOOL

To learn more specific information regarding location, size and products transported in our pipelines within one mile of your address, visit our Pipeline Viewer Tool at:

www.enterpriseproducts.com/pipeline-safety/pipeline-viewer



CONTACT ENTERPRISE

Website: www.enterpriseproducts.com

E-mail: publicawareness@eprod.com

Non-Emergency Number: 888-806-8152

LEARN MORE

Other helpful websites and information can be found on the Additional Resources section of our website at:

www.enterpriseproducts.com/pipeline-safety/additional-resources

The Plan is Simple

- 1. Call your state's One-Call Center (by dialing 811) at least two working days before excavation is scheduled to begin. (Some states may require 72 hours before excavation.)
- Wait the required amount of time.
- 3. One of our trained technicians will mark the location of the pipeline at no cost to you.
- 4. Respect the line markers.
- 5. Dig with care.



A gouge, scrape, dent or crease to a pipeline or its coating may cause a break or leak in the future. If you cause what could be considered even minor damage to a pipeline, please contact Enterprise immediately at 888-883-6308

Report Damages. It's the Law.

The State of Texas requires reporting of excavation damages to gas and liquid pipeline facilities through the Railroad Commission of Texas (RRC) website. For more details, please visit the RRC website at:

www.rrc.state.tx.us/pipelinesafety/enforcement/.

PREVENTION MEASURES

We implement a comprehensive pipeline Integrity Management Program (IMP) to maintain the reliability and safety of our pipeline systems. We do this through use of inspection devices, pressure testing, regular and scheduled maintenance, aerial surveillance, corrosion prevention efforts, and 24-hour surveillance of the pipeline.

Enterprise also maintains an ongoing effort to communicate with Emergency Response Agencies to provide information on emergency preparedness and response. In addition, please notify us immediately if you witness any indications of extreme localized flooding, ice or debris dams, or other issues that may have an impact on the integrity of our pipeline crossings.

Some segments of our pipeline system(s) traverse through areas that have been designated as High Consequence Areas (HCAs) in accordance with federal regulations and require additional activities that are included in our IMP. More information about our company, pipeline operations, HCAs and an IMP summary can be found at:

www.enterpriseproducts.com/pipeline-safety/pipeline-integrity.

Feedback regarding the company's IMP can be directed through our general email address at: publicawareness@eprod.com.

Our Damage Prevention Program is designed to prevent damage to our pipelines and facilities from excavation activities such as digging, trenching, blasting, boring, tunneling, backfilling, or by any other digging activity. When/where applicable, the appropriate stakeholders will be notified of the nature and timing of scheduled maintenance or construction activity on an Enterprise pipeline.

NATIONAL PIPELINE MAPPING SYSTEM

The National Pipeline Mapping System (NPMS) provides information about operators of both gas and liquid transmission pipelines. To find out who operates pipelines in your area, visit the NPMS website at:

www.npms.phmsa.dot.gov/

RED	Electric	
ORANGE	Communications, Telephone/CATV	
BLUE	Potable Water	
GREEN	Sewer/Drainage	
YELLOW	Gas/Petroleum	
PURPLE	Reclaimed Water	
O WHITE	Pre-mark site of intended excavation	
PINK	Temporary survey markings	

COLOR CODING OF TEMPORARY MARKER SIGNS

Colored flags are placed in the ground to temporarily identify the various types of buried utilities, or to indicate planned excavation activity. Please do not remove or relocate these flags as it could lead to possible dangers for yourself and others living and working nearby.

DAMAGE PREVENTION

PRODUCTS WE TRANSPORT

The table below describes the types of products transported through our pipeline system(s). One or more of these products may be transported in your area. For more specific information regarding location, size and products transported in our pipelines within one mile of your address, visit our Pipeline Viewer Tool at: www.enterpriseproducts.com/pipeline-safety/pipeline-viewer.

HAZARDOUS MATERIAL QUICK GUIDE			
PRODUCT	LEAK TYPE	VAPORS	HEALTH HAZARDS
*NATURAL GAS	Gas	Lighter than air and will generally rise and dissipate. May gather in a confined space and travel to a source of ignition.	Easily ignited by high heat, sparks or flames and will form explosive mixtures with air. Vapors may cause dizziness or asphyxiation without warning and may be toxic if inhaled at high concentrations. Contact with gas or liquefied gas may cause burns, severe injury and/or frostbite.
*CRUDE OIL	Liquid	Initially heavier than air and spread along ground and collect in low or confined areas. Vapors may travel to source of ignition and flash back. Explosion hazards occur indoors, outdoors or in sewers.	Inhalation or contact with material may irritate or burn skin and eyes. Fire may produce irritating, corrosive and/or toxic gases. Vapors may cause dizziness or suffocation. Runoff from fire control or dilution water may cause pollution.
REFINED PRODUCTS (GASOLINE, DIESEL FUEL & JET FUEL)	Liquid	Initially heavier than air and spread along ground and collect in low or confined areas. Vapors may travel to source of ignition and flash back. Explosion hazards occur indoors, outdoors or in sewers.	Inhalation or contact with material may irritate or burn skin and eyes. Fire may produce irritating, corrosive and/or toxic gases. Vapors may cause dizziness or suffocation. Runoff from fire control or dilution water may cause pollution.
HIGHLY VOLATILE LIQUIDS (HVLS) (PROPANE, BUTANE, ETHANE, E/P MIX)	Gas	Initially heavier than air, spread along ground, collect in low lying areas and may travel to source of ignition and flash back. Product is colorless, tasteless and contains a slight hydrocarbon or pungent odor. Additional Information on HVLs: In addition to natural gas, crude oil and refined products, some of the products we transport through our pipelines include propane and ethane, also known as Highly Volatile Liquids (HVLs). HVLs are hydrocarbons that have been pressurized to keep them in a liquid state. If a pineline is runtired the HVLs will pescape.	Easily ignited by high heat, sparks or flames and will form explosive mixtures with air. Vapors may cause dizziness or asphyxiation without warning and may be toxic if inhaled at high concentrations. Contact with gas or liquefied gas may cause burns, severe injury and/or frostbite. Fire may produce irritating

and convert from a liquid to a gas and form gaseous vapor clouds when released into the

mans or animals

air. HVLs are highly flammable and will burn or explode if exposed to an ignition source. HVLs are dangerous and could be lethal if inhaled by and/or toxic gases.

^{*}In certain areas, some of these products may contain levels of Hydrogen Sulfide (H₂S), which has an obvious and unpleasani odor. H₂S is heavier than air and may spread along the ground and collect in a low or confined space. Vapors may travel to source of ignition and flash back. Inhalation or contact may cause dizziness or asphyxiation without warning and may be lethal if inhaled at high concentrations. H,S can kill the sense of smell quickly. Protective clothing and respiratory protection must be worn when responding to a release which may contain this product.



HOW CAN YOU TELL WHERE A PIPELINE IS LOCATED?



Pipeline markers can be found along the right-of-way and where the pipeline intersects a street, highway or railway. Pipeline markers are used to indicate the approximate location of the pipeline - do not rely on them to indicate the exact position of the pipeline as it may not follow a straight course between markers.

THE PIPELINE MARKERS DISPLAY:

The material transported in the pipeline

A telephone number where the operator can be reached in the event of an emergency

The name of the pipeline operator

While markers are helpful in locating pipelines, they provide no information on the depth or number of pipelines in the vicinity. Please ensure that no buildings, structures, trees or other obstructions are erected, placed, or planted on or within the pipeline right-of-way. Pipeline markers are required by the U.S. Department of Transportation and it is a federal crime to remove or relocate them.

IF YOU ARE A PUBLIC SAFETY OFFICIAL:

You know to take whatever steps you deem necessary to safeguard the public in the event of a pipeline emergency.

The following suggestions are offered as a guide:

- Secure the area to a safe distance including but not limited to the evacuation of homes, businesses, schools and other locations, as well as the erection of barricades to control access to the emergency site.
- Take steps to prevent ignition if the pipeline leak is not already burning by prohibiting smoking, rerouting traffic and shutting off electricity.
- Try to prevent the spread of fire if the pipeline leak is burning, but do not attempt to extinguish it. If the fire is extinguished, gas or vapors will collect and may re-ignite.

 Pipeline marker signs show the pipeline company's name, emergency telephone number and pipeline contents. Contact the pipeline company as soon as possible.





HOW TO RECOGNIZE A LEAK



By Sight

- · A pool of liquid on the ground
- A rainbow sheen on water
- Dead or discolored vegetation amid healthy plants
- Water bubbling or being blown into the air
- A low-lying, dense white cloud or fog originating near the pipeline
- Frozen ground near the pipeline
- Fire or explosion near the pipeline



By Sound

• An unusual hissing or roaring sound



By Smell

- Any strange or unusual gaseous odor near the pipeline
- Some Enterprise pipelines transport natural gas, which is odorless in its natural state and have Mercaptan added to odorize the product. Mercaptan is a chemical odorant that aides in leak detection and has a rotten egg smell.





Rainbow sheen on water.







STEPS TO TAKE IN A PIPELINE EMERGENCY

Your first concern should be for your personal safety and the safety of those around you.

- Get detailed information about the emergency.
- Call our 24-hour Control Center at 888-883-6308 and provide them with detailed information. Enterprise personnel will be sent to the emergency area.
- Approach the emergency area from the upwind direction and park your vehicle at a safe distance from the identified area.
- Stay out of low-lying areas. A vapor cloud may not be visible, but vapors may be on the ground.
- Evacuate people from the emergency area to an upwind location and restrict access to the area.
- Ensure all equipment being used in or near the emergency area is abandoned and shut down.
- Obtain medical help if needed.



Keep the emergency area secure. Block off roads,

railroads, and other routes

Eliminate ignition sources

such as car engines, pilot

lights, smoking materials, radios, and cell phones.

in which you encounter a

start or stop an engine or

electric light or appliance,

phone or other electronic

devices near the suspected

or close any valves without

direction from Enterprise

extinguish an HVL fire on

by our representative.

the pipeline unless instructed

Accumulation of HVL vapors

can pose a greater hazard of

explosion if re-ignition occurs.

use a telephone or cell

emergency area.

personnel.

extinguished.

automobile, switch on/off an

leak or vapor cloud.

around the area.



U.S. Postage PRSRT STD Paradigm PAID

Enterprise Crude Pipeline LLC

Enterprise Products

Houston, TX 77210 P. O. Box 4324

Important Pipeline Safety Information

To participate in our Online Survey

about pipeline safety, go to:

No purchase necessary. Void where prohibited by law. Entry period is Dec. 1, 2016 – Mar. 31, 2017. Eligibility restrictions applysee Official Rules at website. Information provided by survey respondents will be used by Sponsor solely for purposes of www.enterpriseproducts.com/pas16/

identifying a winner in the 🗯 Apple Watch™ sweepstakes.

*Apple Watch"! Register to A

Enterprise and our commitment to pipeline safety. Scan using your smart phone to learn more about

Enterprise EO 16